Grass and Forage Science (1981) 36, 331–332.

Author index

ALVAREZ F. *see* Baker R.D. (2 papers).
BAKER R.D., ALVAREZ F. and LE DU Y.L.P. The effect of herbage allowance upon the herbage intake and performance of suckler cows and calves, 189.
BAKER R.D., LE DU Y.L.P. and ALVAREZ F. The herbage intake and performance of set-stocked suckler cows and calves, 201.
BAKER R.D. *see* Le Du Y.L.P. (2 papers).
BARTHOLOMEW P.W., EASSON D.L. and CHESTNUTT D.M.B. A comparison of methods of establishing perennial and Italian ryegrasses, 75.
BARTHRAM G.T. *see* Grant S.A.
BEEVER D.E. and THOMSON D.J. The effect of drying and processing red clover on the digestion of the energy and nitrogen moieties in the alimentary tract of sheep, 211.
BOLTON G.R. *see* Floate M.J.S.
CAMLIN M.S. Competitive effects between ten cultivars of perennial ryegrass and three cultivars of white clover grown in association, 169.
CASTLE M.E., GILL M.S. and WATSON J.N. Silage and milk production: a comparison between grass silages of different chop lengths and digestibilities, 31.
CASTLE M.E., GILL M.S. and WATSON J.N. Silage and milk production: a comparison between long, chopped and ground hays as supplements to silage of high digestibility, 91.
CASTLE M.E., GILL M.S. and WATSON J.N. Silage and milk production: a comparison between barley and dried sugar-beet pulp as silage supplements, 319.
CHAMBERS A.R.M., HODGSON J. and MILNE J.A. The development and use of equipment for the automatic recording of ingestive behaviour in sheep and cattle, 97.
CHESTNUTT D.M.B. *see* Bartholomew P.W.
CHMIELEWSKI R.E. *see* Stuth J.W.
DAVIES J. *see* Davies W.I.C.
DAVIES W.I.C. and DAVIES J., Varying the time of spraying with paraquat or glyphosate before direct drilling of grass and clover seeds with and without calcium peroxide (Research Note), 65.
DOYLE C.J. Economics of irrigating grassland in the United Kingdom, 297.
EASSON D.L. *see* Bartholomew P.W.
FENLON J.S. *see* Sheldrick R.D.
FLOATE M.J.S., RANGELEY A. and BOLTON G.R. An investigation of problems of sward improvement on deep peat with special reference to potassium responses and interactions with lime and phosphorus, 81.
FORBES J.C. and GELMAN A.L. Copper and other minerals in herbage species and varieties on copper-deficient soils, 25.
FRAME J. *see* Hunt I.V.
GELMAN A.L. *see* Forbes J.C.
GILL M.S. *see* Castle M.E. (3 papers).
GOODE P.M. *see* Jukes A.M.
GRACEY H.I. Cattle slurry as a source of nutrients for red clover; herbage production and clover contribution, 291
GRANT S.A., BARTHRAM G.T. and TORVELL L. Components of regrowth in grazed and cut *Lolium perenne* swards, 155.
HARKESS R.D. *see* Hunt I.V.
HODGSON J. Variations in the surface characteristics of the sward and the short-term rate of herbage intake by calves and lambs, 49.
HODGSON J. and JAMIESON W.S. Variation in herbage mass and digestibility, and the grazing behaviour and herbage intake of adult cattle and weaned calves, 39.
HODGSON J. *see* Chambers A.R.M.
HOLMES W. *see* Wanyoike M.M.
HUNT I.V., FRAME J. and HARKESS R.D. The development of response to fertilizer nitrogen in the first regrowth of perennial ryegrass, 1.
JAMIESON W.S. *see* Hodgson J.
JONES L. and PRICKETT J. The rate of water loss

from cut grass of different species dried at 20°C, 17.

JUKES A.M. and GOODE P.M. Observations on the effect of post-emergence application of ethofumesate on the shoot growth of *Poa annua* and *Lolium perenne* seedlings (Research Note), 231.

KIRBY D.R. *see* Stuth J.W.

LAIDLAW A.S. Establishment, persistence and nitrogen fixation of white clover and marsh trefoil on blanket peat (Research Note), 227.

LAVENDER R.H. *see* Sheldrick R.D. (2 papers).

LAZENBY A. British grasslands; past, present and future (Review Paper), 243.

LE DU Y.L.P. and BAKER R.D. The digestibility of herbage selected by oesophageally fistulated cows, steer calves and wether sheep when strip-grazing together (Research Note), 237.

LE DU Y.L.P., BAKER R.D. and NEWBERRY R.D. Herbage intake and milk production by dairy cows. 3. The effect of grazing severity under continuous stocking, 307.

LE DU Y.L.P. *see* Baker R.D. (2 papers).

LESHEM Y. and WERMKE M. Effect of plant density and removal of ears on the quality and quantity of forage maize in a temperate climate, 147.

MCBRATNEY J.M. Productivity of red clover grown alone and with companion grasses over a four-year period, 267.

MILNE J.A. *see* Chambers A.R.M.

NEWBERRY R.D. *see* Le Du R.L.D.

NORRIS I.B. *see* Thomas H.

OSWALD A.K. Herbicides and seed production by two perennial ryegrass cultivars grown in weed-free conditions, 59.

PRICKETT J. *see* Jones L.

RANGELEY A. *see* Floate M.J.S.

SHELDRICK R.D., FENLON J.S. and LAVENDER R.H. Variation in forage yield and quality of three cruciferous catch crops grown in southern England, 179.

SHELDRICK R.D. and LAVENDER R.H. A comparison of a hybrid stubble turnip (cv. Appin) with other cruciferous catch crops for lamb fattening. 1. Initial evaluation for dry matter yield and forage quality, 281.

STUTH J.W., KIRBY D.R. and CHMIELEWSKI R.E. Effect of herbage allowance on the efficiency of defoliation by the grazing animal, 9.

THOMAS H. and NORRIS I.B. The influence of light and temperature during winter on growth and death in simulated swards of *Lolium perenne*, 107.

THOMAS R.G. Effect of defoliation on flower initiation in white clover in summer (Research Note), 121.

THOMSON D.J. *see* Beever D.E.

TORVELL L. *see* Grant S.A.

TROUGHTON A. Length of life of grass roots, 117.

WANYOIKE M.M. and HOLMES W. A comparison of indirect methods of estimating feed intake on pasture, 221.

WATSON J.N. *see* Castle M.E. (3 papers).

WERMKE M. *see* Leshem Y.



Grass and Forage Science

EDITED BY J. G. W. JONES

VOLUME 36, 1981

The Journal of the British Grassland Society
published by Blackwell Scientific Publications
Oxford London Edinburgh Boston Melbourne

© Blackwell Scientific Publications
Osney Mead, Oxford
8 John Street, London W.C.1
9 Forrest Road, Edinburgh EH1 2QH
52 Beacon Street, Boston, Massachusetts 02108, U.S.A.
99 Barry Street, Carlton, Victoria 3053, Australia

Contents

NUMBER 1, MARCH 1981

I. V. HUNT, J. FRAME and R. D. HARKESS. The development of response to fertilizer nitrogen in the first regrowth of perennial ryegrass 1

J. W. STUTH, D. R. KIRBY and R. E. CHMIELEWSKI. Effect of herbage allowance on the efficiency of defoliation by the grazing animal 9

L. JONES and J. PRICKETT. The rate of water loss from cut grass of different species dried at 20°C 17

J. C. FORBES and A. L. GELMAN. Copper and other minerals in herbage species and varieties on copper-deficient soils 25

M. E. CASTLE, M. S. GILL and J. N. WATSON. Silage and milk production: a comparison between grass silages of different chop lengths and digestibilities 31

J. HODGSON and W. S. JAMIESON. Variation in herbage mass and digestibility, and the grazing behaviour and herbage intake of adult cattle and weaned calves 39

J. HODGSON. Variations in the surface characteristics of the sward and the short-term rate of herbage intake by calves and lambs 49

A. K. OSWALD. Herbicides and seed production by two perennial ryegrass cultivars grown in weed-free conditions 59

W. I. C. DAVIES and J. DAVIES. Varying the time of spraying with paraquat or glyphosate before direct drilling of grass and clover seeds with and without calcium peroxide (Research Note) 65

Book Reviews 71

NUMBER 2, JUNE 1981

P. W. BARTHOLOMEW, D. L. EASSON and D. M. B. CHESTNUTT. A comparison of methods of establishing perennial and Italian ryegrasses 75

M. J. S. FLOATE, A. RANGELEY and G. R. BOLTON. An investigation of problems of sward improvement on deep peat with special reference to potassium responses and interactions with lime and phosphorus 81

M. E. CASTLE, M. S. GILL and J. N. WATSON. Silage and milk production: a comparison between long, chopped and ground hays as supplements to silage of high digestibility 91

A. R. M. CHAMBERS, J. HODGSON and J. A. MILNE. The development and use of equipment for the automatic recording of ingestive behaviour in sheep and cattle. 97

H. THOMAS and I. B. NORRIS. The influence of light and temperature during winter on

growth and death in simulated swards of *Lolium perenne* 107

A. TROUGHTON. Length of life of grass roots 117

R. G. THOMAS. Effect of defoliation on flower initiation in white clover in summer (Research Note) 121

Summaries of offered papers read at the Winter meeting of the British Grassland Society on 3 December 1980 127

Book Review 145

NUMBER 3, SEPTEMBER 1981

Y. LESHEM and M. WERMKE. Effect of plant density and removal of ears on the quality and quantity of forage maize in a temperate climate 147

S. A. GRANT, G. T. BARTHRAM and L. TORVELL. Components of regrowth in grazed and cut *Lolium perenne* swards 155

M. S. CAMLIN. Competitive effects between ten cultivars of perennial ryegrass and three cultivars of white clover grown in association 169

R. D. SHELDRICK, J S. FENLON and R. H. LAVENDER. Variation in forage yield and quality of three cruciferous catch crops grown in southern England 179

R. D. BAKER, F. ALVAREZ and Y. L. P. LE DU. The effect of herbage allowance upon the herbage intake and performance of suckler cows and calves 189

R. D. BAKER, Y. L. P. LE DU and F. ALVAREZ. The herbage intake and performance of set-stocked suckler cows and calves 201

D. E. BEEVER and D. J. THOMSON. The effect of drying and processing red clover on the digestion of the energy and nitrogen moieties in the alimentary tract of sheep 211

M. M. WANYOIKE and W. HOLMES. A comparison of indirect methods of estimating feed intake on pasture 221

A. S. LAIDLAW. Establishment, persistence and nitrogen fixation of white clover and marsh trefoil on blanket peat (Research Note) 227

A. M. JUKES and P. M. GOODE. Observations on the effect of post-emergence application of ethofumesate on the shoot growth of *Poa annua* and *Lolium perenne* seedlings (Research Note) 231

Y. L. P. LE DU and R. D. BAKER. The digestibility of herbage selected by oesophageally fistulated cows, steer calves and wether sheep when strip-grazing together (Research Note) 237

NUMBER 4, DECEMBER 1981

An appreciation of JAMES T. KERNOHAN 241

A. LAZENBY. British grasslands; past, present and future (Review Paper) 243

J. M. MCBRATNEY. Productivity of red clover grown alone and with companion grasses over a four-year period 267

R. D. SHELDRICK and R. H. LAVENDER. A comparison of a hybrid stubble turnip (cv. Appin) with other cruciferous catch crops for lamb fattening. 1. Initial evaluation for dry matter yield and forage quality 281

H. I. GRACEY. Cattle slurry as a source of nutrients for red clover: herbage production and clover contribution 291

C. J. DOYLE. Economics of irrigating grassland in the United Kingdom 297

Y. L. P. LE DU, R. D. BAKER and R. D. NEWBERRY. Herbage intake and milk production by grazing dairy cows. 3. The effect of grazing severity under continuous stocking 307

M. E. CASTLE, M. S. GILL and J. N. WATSON. Silage and milk production: a comparison between barley and dried sugar-beet pulp as silage supplements 319

Book Reviews 325

Author Index 331

227
ns on
on of
Poa
231
tibility
er
237
241
ent
243
ver
sses
267
p (cv.
rops
on for
281
luction
291
sland
297
The
uous
307
N.
rison
pulp as
319
325
331